

FONDAZIONE CARLO MARCHI

————— QUADERNI 26 —————

TIME RESOLVED VIBRATIONAL SPECTROSCOPY

Proceedings of the “XI TRVS International Conference”
Castiglione della Pescaia, May 24-29, 2003

Edited by

SALVATORE CALIFANO,
PAOLO FOGGI and ROBERTO RIGHINI



Leo S. Olschki
2005

variants such as polarisationselective femtosecond Raman techniques will allow a further disentanglement of the low frequency spectra of proteins.

Acknowledgement – We would like to thank L.D. Barron and I.H. McColl for useful discussions and EPSRC for financial support. Acknowledgement is also made to the donors of The Petroleum Research Fund, administered by the ACS for support of this research.

REFERENCES

- ¹ S. HAMMES-SCHIFFER, «Biochem.», 41, 2002, p. 13335.
- ² M.C. BEARD, G.M. TURNER and C.A. SCHMUTTENMAER, «J. Phys. Chem. B», 106, 2002, p. 7146.
- ³ L. GENZEL, F. KEILMANN, T.P. MARTIN, G. WINTERLING, Y. YACOBY, H. FROELICH and M.W. MAKINEN, «Biopolymers», 15, 1976, p. 219.
- ⁴ N.A. SMITH and S.R. MEECH, «Int. Rev. Phys. Chem.», 21, 2002, p. 75.
- ⁵ G. GIRAUD, J. KAROLIN and K. WYNNE, «Biophys. J.», 85, 2003, p. 1903.
- ⁶ G. GIRAUD and K. WYNNE, «J. Am. Chem. Soc.», 124, 2002, p. 12110.
- ⁷ G. GIRAUD, C. GORDON, I.R. DUNKIN and K. WYNNE, «J. Chem. Phys.», 119, 2003, p. 464.
- ⁸ M. CHO, M. DU, N.F. SCHERER, G.R. FLEMING and S. MUKAMEL, «J. Chem. Phys.», 99, 1993, p. 2410.
- ⁹ L.D. BARRON, L. HECHT and G. WILSON, «Biochem.», 36, 1997, p. 13143.
- ¹⁰ A. ORECCHINI, A. PACIARONI, A.R. BIZZARRI and S. CANNISTRARO, «J. Phys. Chem. B», 105, 2001, p. 12150.
- ¹¹ S.-H. LEE and S. KRIMM, «Biopol.», 46, 1998, p. 283.